

அருள்மிகு காயாரோகணசுவாமி உடனுறை நீலாயதாட்சியம்மன் திருக்கோயில்  
நாகப்பட்டினம்

அனுப்புநர்

க. சீவக்குமார்  
செயல் அலுவலர்

பெறுநர்

மாவட்ட ஆட்சியர் அவர்கள்  
மாவட்ட ஆட்சியர் அலுவலகம்  
நாகப்பட்டினம்

நாள் 26.06.2015

அய்யா,

பொருள் : டெண்டர் திறப்பு நாள் 30.06.2015 நாகப்பட்டினம்  
மாவட்டத்திற்கான உலோக திருமேனி பாதுகாப்பு கட்டிடத்தில்  
தேக்கு மரத்தினால் ஆன காட்சி பெட்டி அமைக்கும் பணி  
இ டெண்டரில் விளம்பரம் செய்ய கேட்டல் - தொடர்பாக


\*\*\*\*\*

நாகப்பட்டினம் மாவட்டத்திற்காக அருள்மிகு காயாரோகணசுவாமி உடனுறை  
நீலாயதாட்சியம்மன் திருக்கோயில் வளாகத்தில் உலோகத் திருமேனிகள் பாதுகாப்பு  
மையக் கட்டிடத்தில் தேக்கு மரத்தினால் ஆன காட்சி பெட்டி அமைக்கும் பணிக்கான  
டெண்டர் திறப்பு 30.06.2015 அன்று நடைபெற உள்ளது. மேற்படி டெண்டர் திறப்பிற்கான  
டெண்டர் படிவம் இத்துடன் இணைக்கப்பட்டுள்ளது. இந்த டெண்டர் விளம்பரத்தினை  
இ டெண்டரில் விளம்பரம் செய்ய அனுமதி வழங்கிட வேண்டுமாறு பணிவுடன்  
கேட்டுக்கொள்கிறேன்.

தங்கள் பணிவுள்ள,

இணைப்பு :

டெண்டர் அறிவிப்பு 1

  
செயல் அலுவலர்  
அ/மி. காயாரோகண சுவாமி &  
நீலாயதாட்சியம்மன் திருக்கோயில்  
நாகப்பட்டினம் - 611 001.

**GOVERNMENT OF TAMIL NADU**

**OFFICE OF THE EXECUTIVE OFFICER, ARULMIGU  
KAYAROGANASWAMY UDANURAI NEELAYATHATCHIAMMAN  
TEMPLE, NAGAPATTINAM TOWN TALUK AND DISTRICT.**

**Name of Work : Providing Teak wood glazed Show case for Icon Center**

Cost of Tender Documents: Rs.

Sales Tax : Rs.

Total : Rs.

Signature of Executive Officer

Signature of Contractor

**OFFICE OF THE EXECUTIVE OFFICER, ARULMIGU KAYAROGANASWANY  
UDANURAI NEELAYATHATCHIAMMAN TEMPLE,  
NAGAPATTINAM TOWN TALUK AND DISTRICT.**

**Name of Work : Providing Teak wood glazed Show case for Icon Center**

**TENDER SCHEDULE FORM : C**

**RATE OF PROGRESS**

<b>Sl. No.</b>	<b>Portion of work completed</b>	<b>Time for completion</b>
<b>1</b>	50% of work completed	1 Month
<b>2</b>	100% of work completed	2 Months

Signature of Executive Officer

Signature of Contractor.



**OFFICE OF THE EXECUTIVE OFFICER, ARULMIGU KAYAROGANASWAMY**

**UDANURAI NEELAYATHATCHIAMMAN TEMPLE,**

**NAGAPATTINAM TOWN TALUK AND DISTRICT.**

**Name of Work : Providing Teak wood glazed Show case for Icon Center.**

**TWO COVER SYSTEM**

**SCHEDULE – D**

**SPECIAL CONDITIONS**

**PRE QUALIFICATION CONDITION**

1. The supplier should have supplied similar items in India to any govt organisations/ Reputed companies. (evidence to the Satisfaction of the department to be produced.)
2. The Supplier should have been in the same line of business for 5 years upto April 2014
3. The supplier should have fabricated similar work for at least Rs.15,00,000/-
4. Tender Schedule will be issued from 20.06.2015 to 29.06.2015 in the office of the **Executive Officer Arulmigu Kayaroganaswamy Udanurai Neelayathatchiamman Temple, Nagapattinam Town** in working hours of all working days.
5. These Schedule can also be downloaded from the HR&CE Dept. Web site.
6. Received tenders will be opened by the **Executive Officer Arulmigu Kayaroganaswamy Udanurai Neelayathatchiamman Temple, Nagapattinam** in the presence of the Assistant Executive Engineer. HR&CE dept., On 30.06.2015 @3.30 pm in **Arulmigu Kayaroganaswamy Udanurai Neelayathatchiamman Temple, Nagapattinam.**
7. Tender Schedule Cost /EMD Cost are to be paid in the form of Bank D.D infavour of the **Executive Officer Arulmigu Kayaroganaswamy Udanurai Neelayathatchiamman Temple, Nagapattinam**
8. No material will be supplied by the temple.
9. The contractor's rate shall be inclusive of all taxes if any, has to pay to the government.
10. The contractor should make own arrangements for all material for all tools and Plants etc., required for the works.
11. As soon as the contract is accepted the contractor should give a programme of works which he proposes to adopt for execution. The programme of work should be in conformity with the rate of progress specified.
12. The materials used by the contractor should be in conformity with TNDSS and Institutions in force.

### 13. WOOD WORK

i) Well Seasoned superior class teak wood such as Balharsha, Malabar and Dandeli shall be used for the wood work, and it shall be got approved before use on work. The teak wood used shall satisfy all standards prescribed in IS 4970, IS 12806, IS 12896, IS 1141 and other relevant Indian standards.

ii) IS 4970 on "Key for identification of commercial Timbers" gives ready guidance to the purchasing organizations to determine whether the Timber supplied is actually of the species stipulated. IS 4970 contains diagnostic features of 60 species of Timber both Softwood and Hardwood. IS 4970 covers a simply operated Punched Card key for the field identification of the commercial Timber based on their general properties and anatomical characteristics visible under a hand lens.

iii) IS 12806 on "Indian Timbers for Door and windows Shutters and Frames — Classification" covers 109 species recommended for shutters and 69 for frames and gives guidance for selection of appropriate Timbers species for the purpose envisaged. The classification of species in IS 12806 is based on strength coefficient, appearance and texture, durability and refractoriness to seasoning, ease of working etc. of Timber. IS 12896 also lays down the general requirements of quality, seasoning, moisture content and preservative treatment for timber. It does not however cover the species suitable for flush doors.

iv) The timber shall be free from decay, fungal growth, boxed heart, pitch pockets or streaks on the exposed edges, splits and cracks. Teak Wood (Tectonic granolis)

v) It is of outstanding merit in retention of shape and durability. The heart wood is one of the most naturally durable woods of the world. It usually remains immune to white ant attack and insect attack for very long periods. It is, however, not always immune from fungus attack (rot). Taken as a whole, good quality teak is very durable. It is relatively easy to saw and work. It can be finished to a fair surface and takes polish well. It is generally used for making furniture and all important timber constructions. Superior Class Teak Wood such as Balharsha, Malabar and Dandeli:

vi) Individual hard and sound knot shall not be more than 12mm in diameter and the aggregate area of all the knots shall not exceed half percent of the area of the piece. It shall be close grained.

14. The average moisture content of the approved timber shall be 3% to 5% and the timber shall be seasoned as per IS:1141"



15. A Prebid meeting for any clarifications will be conducted at the Office of the **Executive Officer Arulmigu Kayaroganaswamy Udanurai Neelayathatchiamman Tempie, Nagapattinam** on 20.06.2015 @ 03.00 p.m.

16. price bid of the qualified technical bidders will be opened after the approval of the technical bid by the competent authority. The date of opening of the price bid will be informed separately.

17. Payment shall be made after completion of each item of work. No part payment shall be made for any item of work.

